Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3604	(709/250.ccls. or 370/463.ccls. or 375/219,220.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:39
S2	5	S1 and (protocol near3 (stack suite)) same ((generic near3 state near3 machine) (GSM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:44
S3	0	S1 and (protocol near3 (stack suite)) and (generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:44
S4	16	(protocol near3 (stack suite)) and (generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:10
S5	173	(protocol near3 (stack suite)) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:16
S6	2	"5987035".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:15
S7	2	"5546453".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:15
S8	63	(protocol near3 (stack suite)) same ((programmable custom$7 personaliz$5 configur$5) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:12
S9	1	(protocol near3 (stack suite family)) same ((input incoming) with (event) with decoder) same (state near3 decoder) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:28
S10	2	(protocol near3 (stack suite family)) and ((input incoming) with (event) with decoder) and (state near3 decoder) and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:30
S11	3	(protocol near3 (stack suite family)) and (event with decoder) and (state near3 decoder) and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:30
S12	141	(protocol near3 (stack suite family)) and (SAP (service near3 access near3 point)) and (CID (connection near3 identif$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:32

S13	10	S12 and (state near3 decod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:35
S14	33	S12 and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:50
S15	72	(generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:50
S16	44	S15 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:51
S17	2	"20020085696".did. and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:48
S18	3401	((programmable custom$7 personaliz$5 configur$5) near3 (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:51
S19	220	S18 and (protocol near3 (stack suite family))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:52
S20	2	"20020085696".did. and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 09:34
S21	2	(input incomming) with (event trigger) with (SAP (service near3 access near3 point)) with (connection identif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:03
S22	1404	(SAP (service near3 access near3 point)) with (connection identif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:06
S23	287	(SAP (service near3 access near3 point)) with (connection identif$7) and (protocol near3 (stack suite family))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:04
S24	40	S23 and state near3 machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:05
S25	52	(SAP (service near3 access near3 point)) with (connection near3 identif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:06

S26	337	(protocol near3 (stack suite)) and ((programmable custom$7 personaliz$5 configur$5) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:18
S27	215	(protocol near3 (stack suite)) and ((programmable custom$7 personaliz$5 configur$5) near3 (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:52
S28	52	(SAP (service near3 access near3 point)) with (connection near3 identif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:54
S29	89	(SAP (service near3 access near3 point)) same (connection near3 identif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:54
S30	2	S29 and (state near3 decod$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:55
S31	8	S29 and state with context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:57
S32	10	S29 and state same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:58
S33	34	S29 and state and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:58
S34	5920	((programmable custom$7 personaliz$5 configur$5) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:18
S35	3401	((programmable custom$7 personaliz$5 configur$5) near3 (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:19
S36	2034	S35 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:19
S37	1112	S36 and ((network) or (protocol near3 stack family suite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:21
S38	329	S36 and ((network) and (protocol near3 stack family suite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:20

S39	1002	S36 and ((network) or (protocol near3 (stack family suite)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:21
S40	91	S36 and (network) and (protocol near3 (stack family suite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:37
S41	171	(ss7 with (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:37
S42	15	S41 and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:46
S43	5	S41 and (input near3 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:49
S44	567	(state near3 machine) with (context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:49
S45	48	(state near3 machine) with (configur$5 personaliz$5 programmable generic) with (context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:50
S46	74	(protocol near3 stack) with (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:11
S47	123	(protocol near3 stack) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:11
S48	1	(SS7 with (protocol near3 stack)) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:13
S49	123	(protocol near3 stack) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:13
S50	4	("5528763" | "5544160" | "5640398" | "6167062").PN. OR ("6628660").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 11:09
S51	0	(input incomming) with (decoder) with (access near3 point) with (id identif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:07

S52	57	((service near3 access near3 point) SAP) with ((connection near3 (identif$7 ID)) CID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:09
S53	16	(US-20010032069-$ or US-20010055281-$ or US-20020085696-$ or US-20020161907-$ or US-20020186697-$ or US-20040100952-$ or US-20040111535-$ or US-20030076938-$).did. or (US-5634015-$ or US-5991541-$ or US-6549882-$ or US-6628660-$ or US-6629263-$ or US-5640398-$ or US-6009093-$).did. or (WO-200228047-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/28 15:39
S54	11	S53 and (CRC test$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:40
S55	16	(US-20010032069-$ or US-20010055281-$ or US-20020085696-$ or US-20020161907-$ or US-20020186697-$ or US-20040100952-$ or US-20040111535-$ or US-20030076938-$).did. or (US-5634015-$ or US-5991541-$ or US-6549882-$ or US-6628660-$ or US-6629263-$ or US-5640398-$ or US-6009093-$).did. or (WO-200228047-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/03/01 08:53
S56	1	S55 and CRC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 08:53
S57	1	(CRC with (protocol near3 overhead)) and (protocol near3 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 08:59
S58	7	(CRC with (protocol near3 overhead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:07
S59	1170	(CRC and (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:08
S60	10	(CRC with (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:11
S61	70	(CRC same (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:11
S62	13	(ATM same AAL same SSCF same SSCOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:13